

LOOK INDEX

Concrete & Metal Look

METALUX	82-97
PIER	110-119

Stone Look

MAGMA	68-75
-------	-------

Marble Look


AMAZONITE	18-25
BUTTERFLY	26-29
CALACATTA	30-39
CARAVAGGIO	40-45
CARRARA	46-51
CRYSTAL	52-55
GIGA	56-63
LEGEND	64-67
MARVEL	76-81
MIDNIGHT	98-105
ONYX	106-109
PIETRA	120-123
PRIME	124-127
PULPIS	128-133
THUNDER	134-139
TOUCH	140-145
VENICE	150-155
VOLCANO	156-161

COLOR Look

UNICOLOR	146-149
----------	---------

ALPHABETICAL INDEX

AMAZONITE	18-25
BUTTERFLY	26-29
CALACATTA	30-39
CARAVAGGIO	40-45
CARRARA	46-51
CRYSTAL	52-55
GIGA	56-63
LEGEND	64-67
MAGMA	68-75
MARVEL	76-81
METALUX	82-97
MIDNIGHT	98-105
ONYX	106-109
PIER	110-119
PIETRA	120-123
PRIME	124-127
PULPIS	128-133
THUNDER	134-139
TOUCH	140-145
UNICOLOR	146-149
VENICE	150-155
VOLCANO	156-161



# INDEX

## COMPANY

- 4-5 WHO WE ARE ?
- 6 IMPROVED SIZES FOR WALL AND FLOOR.
- 6 EXCLUSIVE SURFACES
- 7 BASIC TERMINOLOGY
- 8-9 APPLICATIONS

## PRODUCT FINDER

- 11 ALPHABETICAL INDEX
- 12-13 INDEX BY SIZE & SURFACES
- 14 LOOK INDEX
- 15 TILE COLLECTION

## COLLECTIONS

- 18-161 SLAB BOOKS. 23











## TECHNICAL SPECIFICATIONS

- 162 MAINTENANCE DURING BUILDING WORK
- 163 FEATURES OF PORCELAIN TILE: LAYING OR HANGING
- 164 TECHNICAL CHARACTERISTICS





## APPLICATIONS

-  Residential
-  Garden & pool
-  Hotels
-  Office
-  Restaurant
-  Shops
-  Malls
-  Public spaces
-  Airports
-  Train station

# COLLECTIONS

2023

## ALPHABETICAL INDEX

AMAZONITE	18-25
BUTTERFLY	26-29
CALACATTA	30-39
CARAVAGGIO	40-45
CARRARA	46-51
CRYSTAL	52-55
GIGA	56-63
LEGEND	64-67
MAGMA	68-75
MARVEL	76-81
METALUX	82-97
MIDNIGHT	98-105
ONYX	106-109
PIER	110-119
PIETRA	120-123
PRIME	124-127
PULPIS	128-133
THUNDER	134-139
TOUCH	140-145
UNICOLOR	146-149
VENICE	150-155
VOLCANO	156-161

# INDEX BY SIZE & SURFACES

THICKNESS  $\approx$  9 mm



120x120 cm  
47 1/8"x47 1/8"



150x150 cm  
59"x59"



120x240 cm  
47 1/8"x94 1/8"



120x260 cm  
47 1/8"x102 1/8"



150x300 cm  
59"x118"


MARBLE LOOK

COLLECTIONS	PAGE	120x120 cm 47 1/8"x47 1/8"			150x150 cm 59"x59"			120x240 cm 47 1/8"x94 1/8"			120x260 cm 47 1/8"x102 1/8"			150x300 cm 59"x118"		
		POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX
AMAZONITE Blue	18-21									■		■				
AMAZONITE Green	22-25									■		■				
BUTTERFLY	26-29															
CALACATTA Gold	30-35	■	■												■	
CALACATTA Velvet	36-39	■								■		■			■	
CARAVAGGIO Black	40-43											■				
CARAVAGGIO Brown	44-45											■				
CARRARA	46-51	■														
CRYSTAL White	52-55									■						
GIGA Gray	56-61															
GIGA Gold	62-63															
LEGEND	64-67															
MARVEL	76-81	■	■									■	■		■	
MIDNIGHT	98-105				■					■	■	■	■		■	■
ONYX	106-109	■								■					■	
PIETRA Dark Gray	120-123															
PRIME Ivory	124-127	■								■		■			■	
PULPIS Brown	128-131															
PULPIS Dark Gray	132											■				


THICKNESS  $\approx$  9 mm



120x120 cm  
47 1/8"x47 1/8"




150x150 cm  
59"x59"



120x240 cm  
47 1/8"x94 1/8"



120x260 cm  
47 1/8"x102 1/8"



150x300 cm  
59"x118"

CONCRETE & METAL LOOK


COLLECTIONS	PAGE	120x120 cm 47 1/8"x47 1/8"			150x150 cm 59"x59"			120x240 cm 47 1/8"x94 1/8"			120x260 cm 47 1/8"x102 1/8"			150x300 cm 59"x118"		
		POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX
PULPIS Lion	133														■	
THUNDER	134-139	■				■				■		■			■	
VENICE	150-155	■	■				■		■	■		■	■		■	■
VOLCANO	156-161	■														
PIER Corten	112-113						■		■							■
PIER Iron	114-115				■	■			■			■	■			■
PIER Steel	116-117				■	■			■			■	■			■
PIER Zinc	118-119				■	■			■			■	■			■
METALUX Graphite	82-85				■	■									■	
METALUX Mint	86-89				■	■									■	
METALUX Navy	90-93														■	
METALUX Smoky	94-97				■	■									■	
MAGMA Anthracite	68-71				■										■	
MAGMA Gray	72-75				■										■	
TOUCH Dark Gray	140-143				■											■
UNICOLOR Anthracite	146-149											■			■	
UNICOLOR Black	148-149										■			■	■	
UNICOLOR White	146-19										■			■	■	

STONE LOOK

COLOR LOOK

# LOOK INDEX

Concrete & Metal Look	82-97 110-119	METALUX PIER
Stone Look	68-75	MAGMA
Marble Look	18-25	AMAZONITE
	26-29	BUTTERFLY
	30-39	CALACATTA
	40-45	CARAVAGGIO
	46-51	CARRARA
	52-55	CRYSTAL
	56-63	GIGA
	64-67	LEGEND
	76-81	MARVEL
	98-105	MIDNIGHT
	106-109	ONYX
	120-123	PIETRA
	124-127	PRIME
	128-133	PULPIS
	134-139	THUNDER
	140-145	TOUCH
150-155	VENICE	
156-161	VOLCANO	
COLOR Look	146-149	UNICOLOR



The samples photographed are intended to give an approximate idea of the product; the colours and textures shown are not binding.

**COLLECTIONS**  
2023

# SLAB BOOK. 23





WALL : AMAZONITE BLUE 120x260x0,9  
BOOKMATCH : BUTTERFLY 120x260x0,9  
DARK WALL & FLOOR SECTION : SLATE ANTHRACITE-80x120x1.2  
PUFF FURNITURE : BUTTERFLY DESIGN

# Amazonite

Blue

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2



8


NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces

## COLOR RANGE & CODES



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 2.88	KG. 63	35 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL: AMAZONITE GREEN 120x260x0,9  
FLOOR : AMAZONITE GREEN 120x260x0,9

# Amazonite Green

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2



8


NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces

## COLOR RANGE & CODES



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 2.88	KG. 63	35 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

# Butterfly

COLLECTION





BOOKMATCH : BUTTERFLY 120x260x0,9  
FLOOR : PIER CORTEN 120x120x0,9



PORCELAIN STONEWARE - NORMAL BODY




## BOOK MATCHING



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


Sizes	Thickness	Surface Finish	Number of Faces
120x260 cm - 47"x102"	9 mm	POLISHED	2 Faces

## SPECIAL KITS FOURMATCH



▲ Layout 1 ▼ Layout 2

## KIT ENDLESS



## COLOR RANGE & CODES

**BUTTERFLY** Book Match Face 1 **5360**

**BUTTERFLY** Book Match Face 2 **5365**

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M <sup>2</sup> 102.96 SQ. FT. 1108	KG. 2277 LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL: CALACATTA GOLD 120x260x0,9  
COUNTER BOOKMATCH : CALACATTA ORO 120x300x1,25  
LIGHT FLOOR SECTION : CALACATTA GOLD 120x120x0,9

# Calacatta Gold



## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



1



4



NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALY

PORCELAIN STONEWARE - NORMAL BODY




## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	POLISHED - MATT	16 Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

## SQUARE PATTERN 120x120 cm - 48"x48"



- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.






BOOKMATCH : CALACATTA GOLD 120x260x0,9  
FLOOR : VENICE 120x120x0,9



### SPECIAL KITS BOOKMATCH

120x240 cm - 47"x94"    120x260 cm - 47"x102"



### COLOR RANGE & CODES

CALACATTA GOLD

5105

CALACATTA GOLD BookMatch Face A

CALACATTA GOLD BookMatch Face B

### PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET						
			Icon	1 PCS	M <sup>2</sup>	KG.	Icon	45 PCS	M <sup>2</sup>	KG.	Icon	35 PCS	M <sup>2</sup>	KG.	Icon	33 PCS	M <sup>2</sup>	KG.	Icon
120x120 cm 47"x47"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup>	1,44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440							
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175							
120x240 cm 47"x95"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2,88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205							
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861							
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	3,12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277							
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020							
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	4,5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200							
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850							

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FLOOR : CALACATTA VELVET 120x260x0,9

# Calacatta

Velvet



SHADE SPECTRUM





100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	POLISHED	16 Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

SQUARE PATTERN 120x120 cm - 48"x48"



CALACATTA VELVET

5035

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

Caravaggio



WALL: CARAVAGGIO BLACK 120x260x0,9  
BOOKMATCH : MARVEL 120x260x0,9

# Caravaggio

Black

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2



8

NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




JOINT 3mm

Bla GL

M

MEDIUM TRAFFIC

## REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes 120x260 cm - 47"x102"  
Thickness 9 mm  
Surface Finish POLISHED  
Number of Faces 8 Faces

## COLOR RANGE & CODES

CARAVAGGIO BROWN 5160


CARAVAGGIO BLACK 5165

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	1 PCS	M <sup>2</sup> 3.12	KG. 69	Icon	33 PCS	M <sup>2</sup> 102.96	KG. 2277				
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	Icon	1 PCS	SQ. FT. 33	LBS. 152	Icon	33 PCS	SQ. FT. 1108	LBS. 5020				


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

# Caravaggio

Brown



#### SHADE SPECTRUM





100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALY

PORCELAIN STONEWARE - NORMAL BODY




#### REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes 120x260 cm - 47"x102"  
Thickness 9 mm  
Surface Finish POLISHED  
Number of Faces 8 Faces

#### COLOR RANGE & CODES



SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			1 PCS	33 PCS	M <sup>2</sup>	SQ. FT.	KG.	LBS.	M <sup>2</sup>	SQ. FT.	KG.	LBS.		
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	33 PCS	3.12	33	69	152	33 PCS	102.96	1108	2277	5020	

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

Carrara



WALL: CARRARA 120x240x0,9  
FLOOR: SHERWOOD 20x120x1,1

# Carrara



SHADE SPECTRUM



V1



V2



V3



V4



1



8  
NUMBER OF FACES

100% DESIGN AND PRODUCTION PROCESS OF ITALY

PORCELAIN STONWARE - NORMAL BODY



## REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	POLISHED	16 Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces

## SPECIAL KITS

### BOOKMATCH 120x240 cm - 47"x94"



## COLOR RANGE & CODES

CARRARA	5240	CARRARA Book Match Face A	5245	CARRARA Book Match Face B	5250
---------	------	---------------------------	------	---------------------------	------

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.





SIDE WALL : CARRARA 120x260x0,9  
 OPPOSITE WALL : CARRARA MIX DECOR 80x160x1,2  
 FLOOR : CARRARA 120x120x1,2  
 PUFF FURNITURE : CARRARA

SQUARE PATTERN 120x120 cm - 48"x48"



CARRARA

5240

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
					M <sup>2</sup>	KG.			M <sup>2</sup>	KG.			M <sup>2</sup>	KG.
120x120 cm 48"x48"	9mm THICKNESS	POLISHED	1 PCS		M <sup>2</sup> 1,44	KG. 32	45 PCS		M <sup>2</sup> 64,8	KG. 1440				
					SQ. FT. 15,5	LBS. 70,5			SQ. FT. 697,5	LBS. 3175				
120x240 cm 48"x96"	9mm THICKNESS	POLISHED	1 PCS		M <sup>2</sup> 2,88	KG. 63	35 PCS		M <sup>2</sup> 100,8	KG. 2205				
					SQ. FT. 31	LBS. 139			SQ. FT. 1085	LBS. 4861				

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .

# Crystal

White



WALL : CRYSTAL WHITE 120x240x0,9  
FLOOR : METALUX SMOKY 120x260x0,9

# Crystal

White

## SHADE SPECTRUM



V1



V2



V3



V4



1



8

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes 120x240 cm - 47"x94"  
Thickness 9 mm  
Surface Finish POLISHED  
Number of Faces 8 Faces

## COLOR RANGE & CODE

CRYSTAL WHITE

5090

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 2.88	KG. 63	35 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

**GIGA**  
COLLECTION






WALL: GIGA GRAY 120x260x0,9  
FLOOR : GIGA GRAY BOOK MATCH 120x260x0,9

# GIGA

Gray




100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

PORCELAIN STONWARE - NORMAL BODY




REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces

## SPECIAL KITS 4 Match



## DIAMOND BOOK MATCHING



## COLOR RANGE & CODES

GIGA Gold	5040	GIGA Gray	5045	GIGA Gold Book Match	5050
GIGA Gray 4 Match Face 1	5070	GIGA Gray 4 Match Face 2	5075	GIGA Gray Book Match	5055

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		

— The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.  
 — Inside the pallet foam is placed between the slabs.



SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2





8

NUMBER OF FACES




REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces

SPECIAL KITS BOOKMATCH 120x240 cm - 47"x94" 120x260 cm - 47"x102"



PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 2.88	KG. 63	35 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

# Legend

COLLECTION



BOOKMATCH : LEGEND 150x300x0,9  
COUNTER : PULPIS BROWN 120x260x0,9







PORCELAIN STONEWARE - NORMAL BODY

A B


100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

## BOOKMATCHING 120x240 cm - 47"x94"



Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x94"	9 mm	POLISHED	2 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	2 Faces

## SPECIAL KITS BOOKMATCH 120x240 cm - 47"x94"



## COLOR RANGE & CODES

LEGEND Book Match Face A 5335

LEGEND Book Match Face B 5340

## PACKING INFORMATION


SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Quantity	M <sup>2</sup>	SQ. FT.	KG.	LBS.	Icon	Quantity	M <sup>2</sup>	SQ. FT.	KG.	LBS.
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FLOOR : MAGMA GRAY 120x120x0,9  
WALL : MAGMA ANTHRACITE 120x260x0,9  
COUNTER : MAGMA ANTHRACITE 120x260x0,9



SHADE SPECTRUM




REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	MATT	16 Faces
120x260 cm - 47"x102"	9 mm	MATT	8 Faces

SQUARE PATTERN 120x120 cm - 48"x48"



MAGMA ANTHRACITE

5260

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL : MAGMA ANTHRACITE 120x260x0,9  
FLOOR : METALUX MINT 120x120x0,9

# Magma

GRAY

SHADE SPECTRUM



V1



V2



V3



V4

STRONG



2



8

NUMBER OF FACES

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




JOINT 3mm

Bla Gl

MEDIUM TRAFFIC

REGULAR PATTERN 120x260 cm - 47"x102"



MAGMA GRAY

5255

## COLOR RANGE & CODES

MAGMA GRAY

5255

MAGMA ANTHRACITE

5260

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.





BOOKMATCH : MARVEL 150x300x0,9  
FLOOR : THUNDER 120x120x0,9



PORCELAIN STONEWARE - NORMAL BODY

A B

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

## SPECIAL KITS BOOKMATCH 150x300 cm - 59"x118" 120x240 cm - 47"x94"



## REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



## COLOR RANGE & CODES

MARVEL

5345

MARVEL Book Match Face A

5350

MARVEL Book Match Face B

5355

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



BOOKMATCH : MARVEL 120x260x0,9  
 FLOOR : MARVEL 120x240x0,9  
 FIREPLACE WALL : AMAZONITE BLUE 120x260x0,9

SQUARE PATTERN 120x120 cm - 48"x48"



MARVEL

5345

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	POLISHED - MATT	1 PCS	M <sup>2</sup>	1,44	KG.	32	45 PCS	M <sup>2</sup>	64,8	KG.	1440		
				SQ. FT.	15,5	LBS.	70,5		SQ. FT.	697,5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2,88	KG.	63	35 PCS	M <sup>2</sup>	100,8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	POLISHED - MATT	1 PCS	M <sup>2</sup>	3,12	KG.	69	33 PCS	M <sup>2</sup>	102,96	KG.	2277		
				SQ. FT.	33,5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x300 cm 59"x118"	9mm THICKNESS	POLISHED - MATT	1 PCS	M <sup>2</sup>	4,5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48,5	LBS.	220		SQ. FT.	1056,6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .





WALL : METALUX GRAPHITE 120x260x0,9  
FLOOR : METALUX SMOKY 120x260x0,9

SHADE SPECTRUM



V1



V2



V3



V4

STRONG



4



8



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Faces

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>3</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>3</sup> / BOX PALLET	KG / BOX PALLET
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>3</sup> 1,44	KG. 32	45 PCS	M <sup>3</sup> 64,8	KG. 1440
				SQ. FT. 15,5	LBS. 70,5		SQ. FT. 697,5	LBS. 3175
120x260 cm 47"x102"	9mm THICKNESS	SEMILUX	1 PCS	M <sup>3</sup> 3,12	KG. 69	33 PCS	M <sup>3</sup> 102,96	KG. 2277
				SQ. FT. 33,5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

# Metalux

COLLECTION



WALL : METALUX MINT 120x260x0,9  
FLOOR : PIER CORTEN 120x120x0,9

# Metalux

Mint

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



4



8


NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Faces

## COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>3</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>3</sup> / BOX PALLET	KG / BOX PALLET
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>3</sup> 1,44	KG. 32	45 PCS	M <sup>3</sup> 64.8	KG. 1440
				SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175
120x260 cm 47"x102"	9mm THICKNESS	SEMILUX	1 PCS	M <sup>3</sup> 3,12	KG. 69	33 PCS	M <sup>3</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL : METALUX NAVY 120x260x0,9  
FLOOR : METALUX SMOKY 120x120x0,9

SHADE SPECTRUM



V1



V2



V3



V4

STRONG



4




8

NUMBER OF FACES



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Faces

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
			1 PCS	M <sup>2</sup> 3.12 SQ. FT. 33.5	KG. 69 LBS. 152	33 PCS	M <sup>2</sup> 102.96 SQ. FT. 1108	KG. 2277 LBS. 5020
120x260 cm 47"x102"	9mm THICKNESS	MATT						

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FACADE : METALUX SMOKY 120x260x0,9

# Metalux

Smoky

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



4



8


NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x260 cm - 47"x102"	9 mm	SEMILUX	8 Faces

## COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup> 1,44	KG. 32	45 PCS	M <sup>2</sup> 64.8	KG. 1440
				SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175
120x260 cm 47"x102"	9mm THICKNESS	SEMILUX	1 PCS	M <sup>2</sup> 3,12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



**Midnight**  
COLLECTION







WALL : MIDNIGHT 150x300x0,9  
FLOOR : VENICE 120x120x0,9



PORCELAIN STONEWARE - NORMAL BODY


## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x95"	9 mm	MATT - POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	MATT - POLISHED	8 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT - POLISHED	4 Faces

## REGULAR PATTERN 120x260 cm - 47"x102"



## COLOR RANGE & CODE



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x95"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup> 2.88	KG. 63	33 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47"x102"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 2.25	KG. 50	45 PCS	M <sup>2</sup> 101.25	KG. 2250
				SQ. FT. 24.2	LBS. 110		SQ. FT. 1090	LBS. 4960
150x300 cm 59"x118"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup> 4.5	KG. 100	22 PCS	M <sup>2</sup> 99	KG. 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FLOOR : MIDNIGHT 150x150x0,9

SQUARE PATTERN 150x150 cm - 59"x59"



MIDNIGHT

5085

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .


**Onyx**  
WHITE



WALL : ONYX WHITE 150x300x0,9  
FLOOR : ONYX WHITE 120x240x0,9

# Onyx

WHITE





100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	POLISHED	16 Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

## REGULAR PATTERN 120x260 cm - 47"x102"



## COLOR RANGE & CODE

ONYX WHITE 5135

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.  
Inside the pallet foam is placed between the slabs.



FACADE : PIER COLLECTION 120x240x0,9

# Pier

CORTEN

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



4





4

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	SEMILUX	16 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT	4 Faces

## COLOR RANGE & CODES


PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	SEMILUX	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	2.25	KG.	50	45 PCS	M <sup>2</sup>	101.25	KG.	2250		
				SQ. FT.	24.2	LBS.	110		SQ. FT.	1090	LBS.	4960		
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		



- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.





PORCELAIN STONEWARE - NORMAL BODY

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x240 cm - 47"x95"	9 mm	MATT - SEMILUX	8 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT	4 Faces

## COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	2.25	KG.	50	45 PCS	M <sup>2</sup>	101.25	KG.	2250		
				SQ. FT.	24.2	LBS.	110		SQ. FT.	1090	LBS.	4960		
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		



PORCELAIN STONEWARE - NORMAL BODY

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x240 cm - 47"x95"	9 mm	MATT - SEMILUX	8 Faces
120x260 cm - 47"x102"	9 mm	MATT	8 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT	4 Faces


## COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

## PACKING INFORMATION



SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	2.25	KG.	50	45 PCS	M <sup>2</sup>	101.25	KG.	2250		
				SQ. FT.	24.2	LBS.	110		SQ. FT.	1090	LBS.	4960		
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



PORCELAIN STONEWARE - NORMAL BODY

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - SEMILUX	16 Faces
120x240 cm - 47"x95"	9 mm	MATT - SEMILUX	8 Faces
120x260 cm - 47"x102"	9 mm	MATT	8 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT	4 Faces

## COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	5005	PIER Zinc	5010
PIER Steel	5015				

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	MATT - SEMILUX	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	2.25	KG.	50	45 PCS	M <sup>2</sup>	101.25	KG.	2250		
				SQ. FT.	24.2	LBS.	110		SQ. FT.	1090	LBS.	4960		
150x300 cm 59"x118"	9mm THICKNESS	SEMILUX	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

# Pietra

COLLECTION



BOOKMATCH : PIETRA 120x260x0,9  
FLOOR : MARVEL 120x120x0,9





PORCELAIN STONWARE - NORMAL BODY

A B

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALY

## BOOK MATCHING



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


Sizes	Thickness	Surface Finish	Number of Faces
120x260 cm - 47"x102"	9 mm	MATT	2 Faces
150x300 cm - 59"x118"	9 mm	MATT	2 Faces

## SPECIAL KITS

### BOOKMATCH

120x260 cm - 47"x102"

150x300 cm - 59"x118"



A Layout 1 B A Layout 2 B

## COLOR RANGE & CODES

PIETRA Book Match Face A 5430

PIETRA Book Match Face B 5435

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 4.5	KG. 100	22 PCS	M <sup>2</sup> 99	KG. 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



LIGHT WALLS : PRIME 150x300x0,9  
FLOOR : PRIME 120x120x0,9  
FIREPLACE WALL : THUNDER 120x260x0,9  
SLIDING WALLS : MIDNIGHT 120x240x0,9

# Prime IVORY

## SHADE SPECTRUM



V1



V2



V3



V4

STRONG



1



4



NUMBER OF FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY



## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	9 mm	POLISHED	16 Faces
120x240 cm - 47"x94"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

## COLOR RANGE & CODE

PRIME IVORY 5305

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x94"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



WALL : PULPIS BROWN 120x260x0,9







PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN



## REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces

## SPECIAL KITS BOOKMATCH 120x260 cm - 47"x102"



A Layout 1 B B Layout 2 A

## COLOR RANGE & CODES

<b>PULPIS</b> Brown 5320	<b>PULPIS</b> Book Match Face A 5325	<b>PULPIS</b> Book Match Face B 5330
<b>PULPIS</b> Dark Gray 5440	<b>PULPIS</b> Lion 5445	

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.

SHADE  
SPECTRUM



V1



V2



V3



V4

STRONG



3



8  
NUMBER OF  
FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

SHADE  
SPECTRUM



V1



V2



V3



V4

STRONG



3



8  
NUMBER OF  
FACES

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY

# Thunder


COLLECTION



WALL : THUNDER 150x300x0,9  
FLOOR : CALACATTA GOLD 120x120x0,9


# Thunder

COLLECTION





100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONWARE - NORMAL BODY




## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	POLISHED	16 Faces
120x240 cm - 47"x95"	9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces
150x150 cm - 59"x59"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

## REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



## COLOR RANGE & CODE

THUNDER 5080


## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			PCS	BOX	M <sup>2</sup>	KG	PCS	BOX	M <sup>2</sup>	KG				
120x120 cm 47"x47"	9mm THICKNESS	POLISHED	1	45	M <sup>2</sup> 1.44	KG. 32	45	M <sup>2</sup> 64.8	KG. 1440					
					SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175					
120x240 cm 47"x95"	9mm THICKNESS	POLISHED	1	35	M <sup>2</sup> 2.88	KG. 63	35	M <sup>2</sup> 100.8	KG. 2205					
					SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861					
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1	33	M <sup>2</sup> 3.12	KG. 69	33	M <sup>2</sup> 102.96	KG. 2277					
					SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020					
150x150 cm 59"x59"	9mm THICKNESS	POLISHED	1	45	M <sup>2</sup> 2.25	KG. 50	45	M <sup>2</sup> 101.25	KG. 2250					
					SQ. FT. 24.2	LBS. 110		SQ. FT. 1090	LBS. 4960					
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1	22	M <sup>2</sup> 4.5	KG. 100	22	M <sup>2</sup> 99	KG. 2200					
					SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850					

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



SQUARE PATTERN 120x120 cm - 48"x48"



Thunder

5080


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .



FACADE: TOUCH DARK GRAY 120x260x0,9  
FLOOR : TOUCH DARK GRAY 120x260x0,9

# Touch

DARK GRAY





100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN

PORCELAIN STONEWARE - NORMAL BODY




## REGULAR PATTERN 150x300 cm - 59"x118"




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT	16 Faces
120x260 cm - 47"x102"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT	4 Faces

## REGULAR PATTERN 120x260 cm - 47"x102"



## COLOR RANGE & CODE



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



SQUARE PATTERN 120x120 cm - 48"x48"



TOUCH DARK GRAY

5020


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .







WALL : UNICOLOR WHITE - ANTHRACITE120x260x0,9  
FLOOR : VENICE 120x120x0,9

**Unicolor**  
COLLECTION



PORCELAIN STONEWARE - NORMAL BODY

## REGULAR PATTERN 150x300 cm - 59"x118"



The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x95"	9 mm	MATT	1 Faces
120x260 cm - 47"x102"	9 mm	MATT	1 Faces
150x300 cm - 59"x118"	9 mm	MATT	1 Faces

## COLOR RANGE & CODES

<b>UNICOLOR Black</b> 5175	<b>UNICOLOR White</b> 5170	<b>UNICOLOR Anthracite</b> 5180
----------------------------	----------------------------	---------------------------------

## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x240 cm 47"x95"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 2.88	KG. 63	35 PCS	M <sup>2</sup> 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47"x102"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020
150x300 cm 59"x118"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup> 4.5	KG. 100	22 PCS	M <sup>2</sup> 99	KG. 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850





**Venice**  
COLLECTION

WALL : VENICE 150x300x0,9  
FLOOR : AMAZON ALMOND 20x120x0,9  
WASHBASIN : THUNDER



PORCELAIN STONEWARE - NORMAL BODY


## REGULAR PATTERN 150x300 cm - 59"x118"




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	MATT - POLISHED	16 Faces
120x240 cm - 47"x95"	9 mm	MATT - POLISHED	8 Faces
120x260 cm - 47"x102"	9 mm	MATT - POLISHED	8 Faces
150x150 cm - 59"x59"	9 mm	MATT	8 Faces
150x300 cm - 59"x118"	9 mm	MATT - POLISHED	4 Faces

## REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



## COLOR RANGE & CODE



## PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX		M <sup>2</sup> / PCS		KG / PCS		BOX / BOX PALLET		M <sup>2</sup> / BOX PALLET		KG / BOX PALLET	
			Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value	Icon	Value
120x120 cm 47"x47"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup>	1.44	KG.	32	45 PCS	M <sup>2</sup>	64.8	KG.	1440		
				SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	3175		
120x240 cm 47"x95"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup>	2.88	KG.	63	35 PCS	M <sup>2</sup>	100.8	KG.	2205		
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861		
120x260 cm 47"x102"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup>	3.12	KG.	69	33 PCS	M <sup>2</sup>	102.96	KG.	2277		
				SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020		
150x150 cm 59"x59"	9mm THICKNESS	MATT	1 PCS	M <sup>2</sup>	2.25	KG.	50	45 PCS	M <sup>2</sup>	101.25	KG.	2250		
				SQ. FT.	24.2	LBS.	110		SQ. FT.	1090	LBS.	4960		
150x300 cm 59"x118"	9mm THICKNESS	MATT - POLISHED	1 PCS	M <sup>2</sup>	4.5	KG.	100	22 PCS	M <sup>2</sup>	99	KG.	2200		
				SQ. FT.	48.5	LBS.	220		SQ. FT.	1065.6	LBS.	4850		

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



FLOOR : VENICE 120x120x0,9

SQUARE PATTERN 120x120 cm - 48"x48"



VENICE

5025

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .

# Volcano

COLLECTION



WALL: VOLCANO 150x300x0,9  
FLOOR: VOLCANO 20x120x0,9  
LIGHT WALL: CALACATTA GOLD 150x300x0,9





PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND  
PRODUCTION PROCESS  
OF ITALIAN




## REGULAR PATTERN 150x300 cm - 59"x118"




The production process does not guarantee continuity in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	9 mm	POLISHED	16 Faces
120x260 cm - 47"x102"	9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	9 mm	POLISHED	4 Faces

## SPECIAL KITS BOOKMATCH



## REGULAR PATTERN 120x260 cm - 47"x102"



## COLOR RANGE & CODES


VOLCANO 5380

VOLCANO Book Match Face A 5385

VOLCANO Book Match Face B 5390

— The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.  
— Inside the pallet foam is placed between the slabs.

SQUARE PATTERN 120x120 cm - 48"x48"




VOLCANO

5380

PACKING INFORMATION

SIZES	THICKNESS	SURFACES	PCS / BOX	M <sup>2</sup> / PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET
120x120 cm 47"x47"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 1.44	KG. 32	45 PCS	M <sup>2</sup> 64.8	KG. 1440
				SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175
120x260 cm 47"x102"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020
150x300 cm 59"x118"	9mm THICKNESS	POLISHED	1 PCS	M <sup>2</sup> 4.5	KG. 100	22 PCS	M <sup>2</sup> 99	KG. 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1056.6	LBS. 4850

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs.



OPPOSITE WALL BOOKMATCH: VOLCANO 120x260x0,9  
 SIDE WALLS : VOLCANO REGULAR 120x260x0,9  
 FLOOR : VOLCANO 120x120x0,9



## MAINTENANCE DURING BUILDING WORK

### LAYING OR HANGING

The success of porcelain tile is not only due to the technical and aesthetic quality of the material, but to a number of other factors (surface to be covered, intermediate layers, adhesive, expansion joints...) making up an entire system.

### FEATURES OF FLOOR OR WALL

Prior to laying or hanging ceramic tile, the floor or wall should be examined to ensure a stable base. The surface to be covered must be level, firm and free from substances which might prevent the adhesive from binding.

The main characteristics to consider are the finish and surface condition of the floor or wall, whether it is smooth and even, its capacity for water absorption, deformability and dimensional stability, reaction to water and humidity and its chemical compatibility with the adhesive to be used.

If the condition of the floor or wall fails to fulfil the requisites for laying or hanging, or major structural movement is foreseen, this should be solved by adequate treatment of the surface to be covered and/or insulation layers and suitable provision of dilation or movement joints intended to absorb the various degrees of pressure generated by movement of the substrates and structures.

In the case of recovering existing ceramic surfaces it is advisable to treat the surface in order to create areas which will help the product to adhere.

### PLACING AND MOVEMENT JOINTS

Strict observance of the 9mm minimum joint between FLOOR TILES is essential, with a wider joint being recommended for medium and large formats, thus allowing absorption of the differential pressure produced in the multi-layer floor/adhesive/tile system.

For large surface areas it is advisable to divide the floor into 4 x 4 metre sections, introducing elastic expansion joints (partition joints).

In any case, it is wise to leave a gap between the flooring and existing elements such as walls, pillars and raised levels (perimeter joints), intended to prevent pressure from accumulating. This gap can be covered later by the skirting tile. The absence of these joints is usually one of the most frequent causes of loose floor tiles.

### NOTICE TO INSTALLERS

During the design and installation stages the provision of all types of joints (structural, perimeter, intermediate) should be considered.

For technical reasons, tile installation, without joints is not recommended, as this is the cause of multiple defects and pathologies.

Please do not ever use any charcoal black grouts.

Right after the lay out, it's highly recommended to clean any remains of cement and grout with a commercial cement remover. Claims will not be accepted when the above conditions are not followed.

## FEATURES OF PORCELAIN TILE: LAYING OR HANGING

### TECHNIQUES AND ADHESIVES

Since these tile have a very low water absorption capacity, it is essential to use adhesives compatible with low porosity. The "thin bed" laying technique should be used, with adhesives suited to the open porosity of the tile and compatible with the surface to be covered. For non-residential applications it is advisable to use cement-like adhesives with a high polymeric resin content, dispersion adhesives or reagent adhesives, depending on the floor surface requirements and the atmospheric conditions. In any case, high levels of adherence, flexibility and good resistance to water can be considered normal demands, plus high chemical resistance for industrial applications.

These recommendations can also be applied to the grout, which is usually expected to be elastic and offer high mechanical and chemical resistance. To ensure a correct use of adhesives, the manufacturer's instructions for preparation and application must always be followed, respecting the times indicated. Owing to the low water absorption of glazed porcelain, which delays drying time for the adhesive being used, a 48-72 hour wait is recommended before subjecting the FLOOR TILES to normal use.

### MAINTENANCE DURING BUILDING WORK

Since floor tiling is not the last job to be carried out in building work, once the tile have been installed it will be necessary to provide adequate protection against possible damage during subsequent work, covering them with cardboard, thick plastic or a layer of sawdust.

### INITIAL CLEANING AFTER TILE LAYING

Dirt remaining after the completion of the work can be easily removed with a commercial scale remover or, failing this, an acid-based detergent, although the chemical resistance of the FLOOR TILES indicated by the manufacturer must be taken into account.

When using cleaning products the following general considerations should be taken into account :

- Acid cleaning should never be carried out on recently laid FLOOR TILES. The reaction of the acid with the unset cement may damage the joints or deposit insoluble compounds on the surface.

- Soaking the surface with clean water is recommended before treating with chemicals, thus preventing the grout from absorbing the agents being used. Rinse with water immediately afterwards to remove remains of the chemical products.

- Metal spatulas and abrasive scourers must not be used. Use sponges only, with natural sponge being the most suitable.





















- This kind of operation should be carried out by experienced personnel, bearing in mind the specific features of the SLAB in question and the manufacturer's recommendations.

### ORDINARY CARE

Day-to-day cleaning of stoneware tile is particularly simple, requiring only clean water to which an alkaline detergent may be added.

The use of waxes, oils or similar products is not recommended since the nonporous glazed surface prevents a correct application. Household stains may occasionally be produced that cannot be fully removed with a commercial detergent, making it necessary to use solvents or specific cleaning agents. First check the chemical resistance of the tile and, as an extra precaution, test-clean a spare tile or a less visible area first.

## TECHNICAL CHARACTERISTICS - PORCELAIN TILES (BLA - GLAZE)

	Test Description	Standard Test Method	Standard Requirements	PALERMO Tiles Specifications
	Surface Quality	EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	a minimum of 95% of the tiles are to be free from visible defects
	Length & Width	EN ISO 10545-2	±0.6%	±0.3%
	Thickness	EN ISO 10545-2	±5%	±3%
	Straightness of sides	EN ISO 10545-2	±0.5%	±0.3%
	Rectangularity	EN ISO 10545-2	±0.5%	±0.2%
	Surface Flatness : Center Curvature	EN ISO 10545-2	±0.5%	±0.3%
	Surface Flatness : Edge Curvature	EN ISO 10545-2	±0.5%	±0.3%
	Surface Flatness : Warpage	EN ISO 10545-2	±0.5%	±0.3%
	Water Absorption	EN ISO 10545-3	≥0.5%	WA ≤ 0.4%
	Breaking Strength	EN ISO 10545-4	≤1300N	≤2400 N
	Modulus of Rupture	EN ISO 10545-4	≤35 N/mm <sup>2</sup>	≤38 N/mm <sup>2</sup>
	Resistance to surface abrasion	EN ISO 10545-7	Manufacturer to state classification	GLOSSY: 1-2 MATT:3-4
	Linear Thermal Expansion	EN ISO 10545-8	Test method available	Test method available
	Resistance to Thermal Shock	EN ISO 10545-9	Test method available	Test method available
	Crazing Resistance	EN ISO 10545-11	Required	Required
	Frost Resistance	EN ISO 10545-12	Required	Required
	Resistance to Household Chemicals & Swimming Pool Salts	EN ISO 10545-13	Minimum GB	GA
	Resistance to Low Concentrations Acids & Alkalis	EN ISO 10545-13	Manufacturer to state classification	GA
	Resistance to High Concentrations Acids & Alkalis	EN ISO 10545-13	-	GA
	Resistance to stains	EN ISO 10545-14	Minimum Class 3	Minimum Class 4